# MAINTENANCE PROCEDURES

# CONCRETE PROGRAM

### DAILY MAINTENANCE



Overloaded mats cannot trap soil and prevent it from entering the building. Be sure to vacuum mats daily at all entrances.



Carefully remove gum, tape and labels with a putty knife. Angle the blade so you don't damage the finish.



Damp mop spills as they occur using a 2 oz./gal. dilution of Blue Concentrate (2085FC). Avoid saturating the floor with cleaner solution.



Dust mop the floor twice daily. Keeping grit off the floor will greatly extend the finish life and appearance.

## WEEKLY MAINTENANCE



Carefully remove gum, tape and labels with a putty knife. Angle the blade so you don't damage the finish.



Using a clean dust mop, sweep all loose soil and consolidate for immediate disposal.



Auto scrub weekly using a 2 oz./gal. dilution of Blue Concentrate (2085FC) and red pads. For facilities not equipped with an auto scrubber, damp mop weekly using a 2 oz./gal. dilution of Blue Concentrate. During severe weather months, more frequent cleaning may be necessary.

Be sure to avoid saturating the floor with cleaner solution.

### RESTORATION PROCEDURES



Carefully remove gum, tape and labels with a putty knife. Angle the blade so you don't damage the finish.



Using a clean dust mop, sweep all loose soil and consolidate for immediate disposal.



Auto scrub using a 6 oz./gal. dilution of Citrus Scrub 'N Shine (525FR) and red pads. Avoid saturating the floor with restorer solution.



Burnish the floor using a high speed machine and a white polishing pad. Always dust mop after burnishing.

## SCRUB AND RECOAT



Carefully remove gum, tape and labels with a putty knife. Angle the blade so you don't damage the finish.



Using a clean dust mop, sweep all loose soil and consolidate for immediate disposal.



Apply an 8 oz./gal. dilution of Citrus Scrub
'N Shine (525FR) in 200 ft<sup>2</sup> sections. (Use a
KaiMotion bucket and mop or an auto scrubber.)



Auto scrub with maroon pads, picking up solution before moving to next section. Floor should be uniformly clean and mark-free.



Rinse entire floor with 2 oz./gal. dilution of Blue Concentrate (2085FC) and a maroon pad. Damp mop the edges of the floor that are unreachable with the auto scrubber. Let dry.



Using a clean microfiber finish mop and a KaiMotion bucket or pour can, apply a coat of Pantheon per label instructions, staying at least 6" away from the edges.



When the finish has dried, buff the floor using a burnisher fitted with a white pad to "force cure" the floor and maximize the gloss.



P.O. Box 12 | Merton, Wisconsin 53056 262.538.1122 or 800.551.9679

www.essind.com

©2020 Essential Industries, Inc. 11520