

# READIQUAT™

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**

For Commercial, Industrial and Institutional Use Only  
See Side Panel For Additional  
Precautionary Statements and First Aid

## Ready-To-Use Virucidal\* Disinfectant Cleaner

EPA Reg. No. 10324-85-3838 · EPA Est. No. 3838-WI-1

### ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride .... 0.026%  
Didecyl Dimethyl Ammonium Chloride ..... 0.013%  
Dioctyl Dimethyl Ammonium Chloride ..... 0.013%  
Alkyl (C<sub>14</sub> 50%, C<sub>12</sub> 40%, C<sub>16</sub> 10%)

dimethyl benzyl ammonium chloride ..... 0.034%

**INERT INGREDIENTS:** ..... 99.914%

**TOTAL:** ..... 100.000%

 **ESSENTIAL®  
INDUSTRIES**



**733DN**

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on medical devices or medical equipment surfaces. Before using this product, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water.

**Disinfection, Virucidal\* and Fungicidal Control:** This is a proven one-step disinfectant, cleaner, fungicide, mildewstat, and virucide\*.

Apply this product undiluted to walls, floors and other hard, inanimate non-porous surfaces such as tables, chairs, countertops, sinks, glazed tile and glazed porcelain with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. Treated surfaces must remain wet for 10 minutes. If mechanical spray device is used, spray should be coarse. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. Do not breathe spray. Rinse with potable water after use on surfaces that come in contact with food.

**NOTE:** With spray applications cover or remove all food products. Apply product undiluted and replace if product becomes soiled. For heavily soiled areas, a preliminary cleaning is required. Then wipe excess with sponge, mop or cloth or allow to air dry.

This product is bactericidal according to the AOAC Use Dilution Test method on hard inanimate surfaces, modified in the presence of 5% organic serum against: *Campylobacter jejuni*, *Corynebacterium ammoniagenes*, *Enterobacter aerogenes*, *Enterobacter cloacae*, *Enterococcus faecalis*, *Enterococcus faecium* (Vancomycin resistant), *Escherichia coli*, *Escherichia coli* (Antibiotic resistant), *Escherichia coli* 0157:H7, *Legionella pneumophila*, *Klebsiella pneumoniae*, *Klebsiella pneumoniae* (Antibiotic resistant), *Listeria monocytogenes*, *Proteus mirabilis*, *Proteus vulgaris*, *Pseudomonas aeruginosa*, *Pseudomonas aeruginosa* (Antibiotic resistant), *Salmonella choleraesuis*, *Salmonella typhi*, *Serratia marcescens*, *Shigella dysenteriae*, *Shigella flexneri*, *Shigella sonnei*, *Staphylococcus aureus*, *Staphylococcus aureus* (Methicillin resistant) (MRSA), *Staphylococcus epidermidis* (antibiotic resistant), *Streptococcus pyogenes*.

**\*KILLS HIV, HCV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care setting or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B virus (HBV) and Hepatitis C virus (HCV).

**"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS."**

**PERSONAL PROTECTION:** Clean up should always be done wearing protective latex gloves, gowns, masks and eye protection.

**CLEANING PROCEDURE:** Blood and other body fluids (containing HIV-1, HBV & HCV) must be thoroughly cleaned from surfaces and objects before application of this product.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**Contact Time:** For HIV, leave surfaces wet for two minutes. This contact time will not control other common types of viruses and bacteria. For HBV, leave surfaces wet for 10 minutes. For HCV, leave surfaces wet for 10 minutes.

**Mold and Mildew Control Directions:** This product will effectively inhibit the growth of mold and mildew

(*Aspergillus niger*) and their odors on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears.

### NON-ACID TOILET BOWL (AND URINAL) DISINFECTION/CLEANER DIRECTIONS

Remove gross filth prior to disinfection.

Remove water from the toilet bowl. Apply 1-2 ounces of undiluted solution to the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a cloth, mop, or sponge. Allow to stand for 10 minutes and flush.

**For Heavy Duty Cleaning:** Empty toilet bowl or urinal and apply 8 ounces of product to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly and allow to stand for 10 minutes and flush. For sprayer application, use a coarse spray device.

**Net Contents: One Quart (0.95 Liters)**

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION.** Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

**PHYSICAL OR CHEMICAL HAZARDS:** Do not mix with oxidizers, anionic soaps and detergents.

### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

### STORAGE AND DISPOSAL

Store in original container in areas inaccessible to small children. Do not store on side. Avoid creasing or impacting of side walls. Do not reuse empty container. Wrap and discard in trash (or recycle).

Sold by: **Essential Industries, Inc.**

PO. Box 12 · Merton, Wisconsin 53056-0012 USA · (262) 538-1122 · [www.essind.com](http://www.essind.com)