

# Material Safety Data Sheet

## Extractor Rug Shampoo

### 1. Product and company identification

<b>Product name</b>	Extractor Rug Shampoo	<b>In case of emergency</b>	1-800-843-6174
<b>Code</b>	311CC	<b>Validation date</b>	11/8/2011.
<b>Material uses</b>	Carpet cleaner and restorer	<b>Print date</b>	11/8/2011.
<b>Manufacturer</b>	Essential Industries, Inc. P.O. Box 12 Merton, WI 53056-0012 Phone: 262-538-1122	<b>Responsible name</b>	Regulatory Affairs Department

#### Hazardous Material Information System (U.S.A.)

Health	3	HAZARD RATING
Flammability	0	4 = Extreme
Physical hazards	0	3 = High
Personal protection	C	2 = Moderate
		1 = Slight
		0 = Insignificant

A = Goggles B = Goggles & Gloves C = Goggles, Gloves & Apron

### 2. Hazards identification

**Emergency overview** WARNING!  
HARMFUL IF INHALED OR SWALLOWED. MAY CAUSE EYE AND SKIN IRRITATION.  
Harmful by inhalation and if swallowed. Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

#### Potential acute health effects due to overexposure

**Inhalation** Harmful by inhalation.  
**Ingestion** Harmful if swallowed. May cause burns to mouth, throat and stomach.  
**Skin** Corrosive to the skin. May cause severe burns.  
**Eyes** Corrosive to eyes. May cause severe burns.

#### Potential chronic health effects due to overexposure

**Carcinogenicity** No known significant effects or critical hazards.  
**Mutagenicity** No known significant effects or critical hazards.  
**Teratogenicity** No known significant effects or critical hazards.  
**Developmental effects** No known significant effects or critical hazards.  
**Fertility effects** No known significant effects or critical hazards.

See toxicological information (section 8)

### 3. Composition/information on ingredients

Name	CAS number	%
ethylene glycol monobutyl ether	111-76-2	1 - 5
disodium metasilicate	6834-92-0	1 - 5
Tetrasodium pyrophosphate	7722-88-5	1 - 5
Pentasodium triphosphate	7758-29-4	1 - 5

#### SARA 313 (Form R - Reporting requirements)

Product name	CAS number	Concentration
ethylene glycol monobutyl ether	111-76-2	4.8308

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

### 4. First aid measures

**Eye contact** Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

**Skin contact** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

**Inhalation** Move exposed person to fresh air. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

**Ingestion** Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention immediately.

**Protection of first-aiders** No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

**Notes to physician** No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## 5. Fire-fighting measures

<b>Flammability of the product</b>	In a fire or if heated, a pressure increase will occur and the container may burst.
<b>Extinguishing media</b>	
<b>Suitable</b>	Use an extinguishing agent suitable for the surrounding fire.
<b>Special exposure hazards</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Hazardous thermal decomposition products</b>	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides phosphorus oxides metal oxide/oxides
<b>Special protective equipment for fire-fighters</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
<b>Flash point</b>	Closed cup: Not applicable

## 6. Control and preventive measures

<b>Storage</b>	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
----------------	--

Ingredient	Exposure limits
ethylene glycol monobutyl ether	<b>OSHA PEL (United States, 6/2010). Absorbed through skin.</b> TWA: 50 ppm 8 hour(s). TWA: 240 mg/m <sup>3</sup> 8 hour(s). <b>OSHA PEL 1989 (United States, 3/1989). Absorbed through skin.</b> TWA: 25 ppm 8 hour(s). TWA: 120 mg/m <sup>3</sup> 8 hour(s). <b>NIOSH REL (United States, 6/2009). Absorbed through skin.</b> TWA: 5 ppm 10 hour(s). TWA: 24 mg/m <sup>3</sup> 10 hour(s). <b>ACGIH TLV (United States, 2/2010).</b> TWA: 20 ppm 8 hour(s).
Tetrasodium pyrophosphate	<b>OSHA PEL 1989 (United States, 3/1989).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s). <b>NIOSH REL (United States, 6/2009).</b> TWA: 5 mg/m <sup>3</sup> 10 hour(s).

### Personal protection

<b>Respiratory</b>	None required. However, use of adequate ventilation is good industrial practice.
<b>Hands</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
<b>Skin</b>	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
<b>Eyes</b>	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

### Methods for cleaning up

<b>Small spill</b>	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
<b>Waste disposal</b>	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

## 7. Physical and chemical properties

<b>Physical state</b>	Liquid	<b>Boiling/condensation point</b>	100°C (212°F)
<b>Color</b>	Blue/Green	<b>Melting/freezing point</b>	0°C (32°F)
<b>Odor</b>	Citrus	<b>Vapor pressure</b>	<4 kPa (<30 mm Hg) [20°C]
<b>VOC</b>	3.9%	<b>Vapor density</b>	<1 [Air = 1]
<b>pH</b>	12.4 to 13	<b>Weight per Gallon:</b>	8.99 lbs./gal.
<b>1% pH:</b>	9.5	<b>Specific Gravity:</b>	1.08 gm/ml
<b>Solubility</b>	Complete		

## 8. Toxicological information

### Acute toxicity

#### Product/ingredient name


Product/ingredient name	Result	Species	Dose	Exposure
Pentasodium triphosphate	LD50 Dermal	Rabbit	>4640 mg/kg	-
	LD50 Intraperitoneal	Rat	525 mg/kg	-
	LD50 Oral	Rat	3120 mg/kg	-
	LD50 Subcutaneous	Rat	2060 mg/kg	-
	LD Dermal	Rabbit	>300 mg/kg	-
Tetrasodium pyrophosphate	LD50 Intraperitoneal	Rat	59 mg/kg	-
	LD50 Intravenous	Rat	100 mg/kg	-
	LD50 Oral	Rat	4 g/kg	-
disodium metasilicate	LD50 Oral	Rat	1153 mg/kg	-
	LD50 Oral	Rat	>1000 mg/kg	-
ethylene glycol monobutyl ether	LD50 Dermal	Rabbit	220 mg/kg	-
	LD50 Intraperitoneal	Rat	220 mg/kg	-
	LD50 Intravenous	Rat	307 mg/kg	-
	LD50 Oral	Rat	917 mg/kg	-
	LD50 Oral	Rat	250 mg/kg	-
	LD50 Unreported	Rat	917 mg/kg	-
	LDLo Oral	Rat	1500 mg/kg	-
	TDLo Oral	Rat	500 mg/kg	-
	TDLo Unreported	Rat	250 mg/kg	-
	LC50 Inhalation Vapor	Rat	2900 mg/m <sup>3</sup>	7 hours
LC50 Inhalation Gas.	Rat	450 ppm	4 hours	

**Conclusion/Summary** Not available

### Chronic toxicity

**Conclusion/Summary** Not available

## 9. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
<b>DOT Classification</b>	UN1760	Corrosive liquids n.o.s. (disodium metasilicate)	8	III		- Non-Bulk shipments meet ORM-D Requirements

PG\* : Packing group