

# Material Safety Data Sheet

## PINK LOTION SOAP

### 1. Product and company identification

<b>Product name</b>	PINK LOTION SOAP	<b>In case of emergency</b>	1-800-843-6174
<b>Code</b>	337HC	<b>Validation date</b>	7/1/2009.
<b>Material uses</b>	High sudsing, high viscosity hand cleaner	<b>Print date</b>	7/14/2009.
<b>Manufacturer</b>	Essential Industries, Inc. P.O. Box 12 Merton, WI 53056-0012 Phone: 262-538-1122	<b>Responsible name</b>	<b>Regulatory Affairs Department</b>

#### Hazardous Material Information System (U.S.A.)

Health	* 0	<b>HAZARD RATING</b>
Flammability	0	4 = Extreme
Physical hazards	0	3 = High
Personal protection	A	2 = Moderate
		1 = Slight
		0 = Insignificant

A = Goggles B = Goggles & Gloves C = Goggles, Gloves & Apron

### 2. Hazards identification

<b>Emergency overview</b>	CAUTION! MAY BE HARMFUL IF SWALLOWED. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA. May be harmful if swallowed. Do not ingest. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Contains material that may cause target organ damage, based on animal data. Wash thoroughly after handling.
---------------------------	--

#### Potential acute health effects due to overexposure

<b>Inhalation</b>	No known significant effects or critical hazards.
<b>Ingestion</b>	Harmful if swallowed.
<b>Skin</b>	No known significant effects or critical hazards.
<b>Eyes</b>	No known significant effects or critical hazards.

#### Potential chronic health effects due to overexposure

<b>Carcinogenicity</b>	No known significant effects or critical hazards.
<b>Mutagenicity</b>	No known significant effects or critical hazards.
<b>Teratogenicity</b>	No known significant effects or critical hazards.
<b>Developmental effects</b>	No known significant effects or critical hazards.
<b>Fertility effects</b>	No known significant effects or critical hazards.

See toxicological information (section 8)

### 3. Composition/information on ingredients

<b>Name</b>	<b>CAS number</b>	<b>%</b>
sodium dodecyl sulphate	151-21-3	5 - 10
dodecylbenzenesulphonic acid	27176-87-0	1 - 5

### 4. First aid measures

<b>Eye contact</b>	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
<b>Skin contact</b>	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
<b>Inhalation</b>	Move exposed person to fresh air. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
<b>Ingestion</b>	Wash out mouth with water. Get medical attention immediately.
<b>Protection of first-aiders</b>	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
<b>Notes to physician</b>	No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## 5. Fire-fighting measures

<b>Flammability of the product</b>	In a fire or if heated, a pressure increase will occur and the container may burst.
<b>Extinguishing media</b>	
<b>Suitable</b>	Use an extinguishing agent suitable for the surrounding fire.
<b>Special exposure hazards</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Hazardous thermal decomposition products</b>	Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides
<b>Special protective equipment for fire-fighters</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Control and preventive measures

<b>Storage</b>	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
<b>Personal protection</b>	
<b>Respiratory</b>	None required. However, use of adequate ventilation is good industrial practice.
<b>Hands</b>	None normally required.
<b>Skin</b>	None normally required.
<b>Eyes</b>	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
<b>Methods for cleaning up</b>	
<b>Small spill</b>	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
<b>Waste disposal</b>	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

## 7. Physical and chemical properties

<b>Physical state</b>	Liquid	<b>Boiling/condensation point</b>	100°C (212°F)
<b>Color</b>	Various	<b>Melting/freezing point</b>	0°C (32°F)
<b>Odor</b>	Varied	<b>Vapor pressure</b>	<4 kPa (<30 mm Hg)
<b>VOC</b>	0.0%	<b>Vapor density</b>	<1 [Air = 1]
<b>pH</b>	7.5 to 8.5	<b>Weight per Gallon:</b>	8.85 lbs./gal.
<b>1% pH:</b>	7.1	<b>Specific Gravity:</b>	1.06 gm/ml
<b>Solubility</b>	Complete		

## 8. Toxicological information

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
sodium dodecyl sulphate	LD50 Intraperitoneal	Rat	210 mg/kg	-
	LD50 Intravenous	Rat	118 mg/kg	-
	LD50 Oral	Rat	1288 mg/kg	-
	LDLo Dermal	Rabbit	10 gm/kg	-
	LC50 Inhalation Vapor	Rat	>3900 mg/m3	1 hours
dodecylbenzenesulphonic acid	LD50 Oral	Rat	650 mg/kg	-

**Conclusion/Summary** Not available

### Chronic toxicity

**Conclusion/Summary** Not available

## 9. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
<b>DOT Classification</b>	Not regulated	-	-	-		-

PG\* : Packing group