

SAFETY DATA SHEET

DCS Non-Butyl Food Grade Degreaser #7

1. Identification of the substance/preparation and of the company/undertaking

Identification of the substance or preparation

Product name : DCS Non-Butyl Food Grade Degreaser #7

Product No. : 02707EU

Use of the substance/preparation : Concentrated cleaner and degreaser

Company/undertaking identification

Manufacturer : Essential Industries, Inc.
P.O. Box 12
28391 Essential Rd.
Merton, WI 53056-0012 USA

Supplier : Essential Industries, Inc.
P.O. Box 12
28391 Essential Rd.
Merton, WI 53056-0012 USA

Emergency telephone number : 001-262-821-7814

2. Composition/information on ingredients

Substance/Preparation : Preparation

Ingredient Name	CAS number	%	EC Number	Classification
2-Aminoethanol	141-43-5	1-5	205-483-3	Xn; R20/21/22 C; R34
See Section 16 for the full text of the R Phrases declared above				

* Occupational Exposure Limit(s), if available, are listed in section 8

3. Hazards identification

The preparation is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Xi; R36/38

Human health hazards : Irritating to eyes and skin.

Additional hazards : None identified.

See Section 11 for more detailed information on health effects and symptoms.

4. First aid measures

First aid measures

Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

Ingestion : Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately.

Skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

Eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Specific treatments : None identified.

See Section 11 for more detailed information on health effects and symptoms.

5. Fire-fighting measures

- Extinguishing media** : In case of fire, use water spray (fog), foam, dry chemical, or CO₂.
- Special exposure hazards** : No specific hazard.
Not available.
- Hazardous thermal decomposition products** : These products are carbon oxides (CO, CO₂), nitrogen oxides (NO, NO₂...). Some metallic oxides.
- Special protective equipment for fire-fighters** : Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.
- Remark** : No additional remark.

6. Accidental release measures

- Personal precautions** : Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (Section 8). Follow all fire fighting procedures (Section 5).
- Environmental Precautions and Clean-up Methods** : Minimize contact of spilled material with soils to prevent runoff to surface waterways. See Section 13 for Waste Disposal Information.
If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

Note: See section 8 for personal protective equipment and section 13 for waste disposal.

7. Handling and storage

- Handling** : Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.
- Storage** : Keep container tightly closed. Keep container in a cool, well-ventilated area.
- Packaging materials**
- Recommended** : Use original container.
- Specific uses** : Industrial applications

8. Exposure controls/personal protection

<u>Ingredient Name</u>	<u>Occupational Exposure Limits</u>
2-Aminoethanol	EH40-OES (United Kingdom (UK), 2003). STEL: 15 mg/m ³ 15 minute(s). Form: All forms STEL: 6 ppm 15 minute(s). Form: All forms TWA: 7.6 mg/m ³ 8 hour(s). Form: All forms TWA: 3 ppm 8 hour(s). Form: All forms

- Exposure controls**
- Occupational exposure controls** : Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are proximal to the work-station location.
- Respiratory protection** : A respirator is not needed under normal and intended conditions of product use.
- Hand protection** : Use latex gloves. Double latex gloves should be considered.
- Eye protection** : Safety glasses. Goggles, face shield, or other full-face protection if potential exists for direct exposure to aerosols or splashes.
- Skin protection** : Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Appropriate techniques should be used to remove potentially contaminated clothing.

9. Physical and chemical properties

General information

Appearance

- Physical state** : Liquid.
Color : Colorless.
Odor : Bland.

Important health, safety and environmental information

- pH** : 10.7 - 11.7
Boiling Point : The lowest known value is 100°C (212°F) (water). Weighted average: 102.71°C (216.9°F)
Melting Point : May start to solidify at 10.61°C (51.1°F) based on data for: 2-Aminoethanol. Weighted average: 0.41°C (32.7°F)
Flash point : The lowest known value is Open cup: 85.9°C (186.6°F). (2-Aminoethanol)
Flammability (solid, gas) : Not applicable.
Explosive properties : Risks of explosion of the product in presence of mechanical impact: Not available.
Risks of explosion of the product in presence of static discharge: Not available.
Oxidizing Properties : Not available.
Vapor Pressure : The highest known value is <0.01 kPa (<0.1 mm Hg) (at 20°C) (Surfactant Blend).
Relative density : Weighted average: 0.32 g/cm³
Solubility : Easily soluble in cold water, hot water, methanol, acetone.
Vapor Density : The highest known value is 2.11 (Air = 1) (2-Aminoethanol). Weighted average: 1.22 (Air = 1)
Evaporation rate (butyl acetate = 1) : The highest known value is 0.36 (water) Weighted average: 0.35 compared to Butyl acetate.

Other information

- Auto-ignition temperature** : The lowest known value is 409.9°C (769.8°F) (2-Aminoethanol).

10. Stability and reactivity

- Stability** : The product is stable.
Conditions to avoid : None identified.
Materials to avoid : None identified.
Hazardous decomposition products : These products are carbon oxides (CO, CO₂), nitrogen oxides (NO, NO₂...). Some metallic oxides.

11. Toxicological information

Potential Acute Health Effects

- Inhalation** : No known acute effects of this product resulting from inhalation.
Ingestion : May irritate digestive tract.
Skin contact : Irritating to skin.
Eye contact : Irritating to eyes.

Acute toxicity

<u>Ingredient Name</u>	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Species</u>
2-Aminoethanol	LD50	1720 mg/kg	Oral	Rat
	LD50	620 mg/kg	Oral	Guinea pig
	LD50	700 mg/kg	Oral	Mouse
	LDLo	1400 mg/kg	Oral	Mammal

- Carcinogenicity** : No carcinogenic effect known.
Mutagenicity : No mutagenic effect.
Reproductive toxicity : No teratogenic effect.

Over-exposure signs/symptoms

- Target Organs** : Contains material which causes damage to the following organs: upper respiratory tract, skin, central nervous system (CNS), eye, lens or cornea.

- Other adverse effects** : Not available.

Date of issue : 5/22/2005.

12. Ecological information

Ecotoxicity Data

<u>Ingredient Name</u>	<u>Species</u>	<u>Period</u>	<u>Result</u>
2-Aminoethanol	Oncorhynchus mykiss (LC50)	96 hour(s)	150 mg/l
	Oncorhynchus mykiss (LC50)	96 hour(s)	150 mg/l
	Oncorhynchus mykiss (LC50)	96 hour(s)	>200 mg/l
	Lepomis macrochirus (LC50)	96 hour(s)	300 mg/l
	Lepomis macrochirus (LC50)	96 hour(s)	>300 mg/l
	Lepomis macrochirus (LC50)	96 hour(s)	329.16 mg/l

Mobility : Not available.

Other adverse effects : Not available.

13. Disposal considerations

Methods of disposal : Avoid contact of spilled material and runoff with soil and surface waterways. Dispose of according to all federal, state and local applicable regulations.

Waste Classification : Not applicable.

European Waste Catalogue (EWC) : Not available.

Hazardous Waste : The classification of the product may meet the criteria for a hazardous waste

14. Transport information

International transport regulations

<u>Regulatory information</u>	<u>UN number</u>	<u>Proper shipping name</u>	<u>Class</u>	<u>Packing Group</u>	<u>Label</u>	<u>Additional information</u>
ADR/RID Class	Not Regulated.	-	-	-		-
ADN Class	Not Regulated.	-	-	-		-
IMDG Class	Not Regulated.	-	-	-		-
IATA-DGR Class	Not Regulated.	-	-	-		-

15. Regulatory information

EU Regulations

Hazard symbol(s) :



Irritant

Risk phrases : R36/38- Irritating to eyes and skin.

Safety phrases : S24/25- Avoid contact with skin and eyes.
S37/39- Wear suitable gloves and eye/face protection.

Product Use : Classification and labeling have been performed according to EU directives 67/548/EEC, 1999/45/EC including amendments and the intended use.
- Industrial applications.

EC Statistical Classification (Tariff Code) : 32089091

National regulations

16. Other information

Full text of R phrases referred to in Sections 2 and 3 - United Kingdom (UK) : R20/21/22- Harmful by inhalation, in contact with skin and if swallowed.
R34- Causes burns.
R36/38- Irritating to eyes and skin.

Full text of classifications referred to in Sections 2 and 3 - United Kingdom (UK) : C - Corrosive
Xn - Harmful
Xi - Irritant

HISTORY

Date of printing : 5/23/2005.
Date of issue : 5/22/2005.
Date of Previous Issue : No Previous Validation.
Version : 1
Prepared by : Regulatory Affairs.

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Version

1

Page: 5/5