

# Floor Stripper Cost Comparison

## Johnson-Diversey Pro Strip<sup>®</sup>

1. Square footage being stripped	100,000
2. Average ft <sup>2</sup> one gallon of RTU stripper covers	100
3. Number of RTU gallons needed for 100,000	1,000
4. Dilution ratio of stripper (Labeled at 1:4 - 1:10)	1:4
5. Gallons of concentrate needed ( $\frac{1000}{5}$ )	200
6. Suggested cost per gallon	\$25.63
7. Total cost (200 x 25.63)	<b>\$5,126.00</b>

## NCL Bare Bones<sup>™</sup>

1. Square footage being stripped	100,000
2. Average ft <sup>2</sup> one gallon of RTU stripper covers	100
3. Number of RTU gallons needed for 100,000	1,000
4. Dilution ratio of stripper (Labeled at 1:2 - 1:16)	1:4
5. Gallons of concentrate needed ( $\frac{1000}{5}$ )	200
6. Suggested cost per gallon	\$18.85
7. Total cost (200 x 18.85)	<b>\$3,770.00</b>

## Spartan Shinline Emulsifier Plus<sup>®</sup>

1. Square footage being stripped	100,000
2. Average ft <sup>2</sup> one gallon of RTU stripper covers	100
3. Number of RTU gallons needed for 100,000	1,000
4. Dilution ratio of stripper (Labeled at 1:1 - 1:10)	1:4
5. Gallons of concentrate needed ( $\frac{1000}{5}$ )	200
6. Suggested cost per gallon	\$15.00
7. Total cost (200 x 15.00)	<b>\$3,000.00</b>

## Essential Xlerate<sup>™</sup>

1. Square footage being stripped	100,000
2. Average ft <sup>2</sup> one gallon of RTU stripper covers	100
3. Number of RTU gallons needed for 100,000	1,000
4. Dilution ratio of stripper	1:19
5. Gallons of concentrate needed ( $\frac{1000}{20}$ )	50
6. Suggested cost per gallon	\$48.00
7. Total cost (50 x 48.00)	<b>\$2,400.00</b>



## Calculate Your Margin

	Diversey Pro Strip <sup>®</sup>	Essential's Xlerate <sup>™</sup>	Your Current Floor Stripper
Square footage being stripped	50,000	50,000	50,000
Average ft <sup>2</sup> one gallon of RTU stripper covers	100	100	100
Number of RTU gallons needed for 50,000	500	500	500
Dilution ratio of stripper	1:4	1:19	
Gallons of concentrate needed	125	25	
Cost per gallon	\$15	\$25	
<b>TOTAL COST</b>	<b>\$1875</b>	<b>\$625</b>	

Notes: